

# Yealink T5 Business Phone Series

# Redefining Next-Gen Personal Collaboration Experience

Being responsive to changes and demands in the marketplace, Yealink has designed and developed its new T5 Business Phone Series, the most advanced IP desktop phone portfolio in the industry. Leading the way in new personalized collaboration, the Yealink T5 Business Phone Series provides the best possible personalized collaboration experience for businesses of all sizes.

With the Yealink T5 Business Phones, you can help your business benefit from the advanced telephony features, next-generation communication experience and great flexibility, and eventually unleash the power of remote collaboration and maximize the ROI.



## **New Personal Collaboration Landscapes**

The Yealink T5 Business Phone Series introduces seven phone models for productive desktop communication and collaboration demands. The Yealink Prime Business Phones T53, T53W, T54W and T57W are ideal for highly active voice communication users.

The Yealink Smart Business Phones T58A and T58A with Camera, and the Flagship Smart Video Phone VP59 are professional desktop collaboration tools well suited for executive offices and huddle rooms, delivering cutting-edge capabilities and affordable access to professional HD video.



### Ergonomic Design with Adjustable Displays

The Yealink T5 Business Phone Series has an upgraded elegant and sleek design with large, backlit and high resolution displays and LED indicators to provide optimized viewing and navigation experience. The displays of the T5 Series are fully adjustable to fulfill the viewing needs at a variety of angles and under a variety of lighting conditions.



### Distraction-Free HD Communications

The Yealink T5 Business Phone Series is designed with Yealink Acoustic Shield technology to deliver distraction-free voice clarity for remote participants. Yealink Acoustic Shield technology uses multiple microphones to create a virtual "shield" between the speaker and the outside sound source. Once enabled, it intelligently blocks or mutes sounds from outside the "shield" so that the person on the other end hears you only and follows you clearly. In busy and noisy workspace such as call centers and office area, Yealink Acoustic Shield technology dramatically reduces frustration and improves productivity.

For small group session using Yealink VP59 or Yealink T58A, Yealink Noise Proof technology is available to eliminate non-human voices so as to guarantee the productivity of the group discussion.



### Easy Collaboration at Your Fingertips

Yealink T58A with Camera and Yealink VP59 are the most advanced smart desktop collaboration phones, providing C-levels and busy professionals with easy operation, all-inclusive features and affordable access to HD video collabration. With a large color touchscreen and intuitive hard keys layout, the operation of the phone is made as simple as possible.

Yealink T58A supports 720p HD business video with an optional Yealink USB camera CAM50. And Yealink VP59 is built on a 1080p full HD video capability.



### **Explore Many More Possibilities**

The value of a desktop phone is redefined. The Yealink T5 Business Phone Series brings versatility for business customers to explore and maximize the value for every penny they spend.

- · The Yealink T5 Business Phone Series supports instant content sharing to the people on the other end of the call. With a simple operation, the speaker can quickly transmit the content over the phone while on the call. It enables quick disucssion and speeds up decision making.
- · Yealink T58A and Yealink VP59 allow intercom system integration for reception desk applications. It features one-touch door opening, visitor viewing and monitoring to simplify daily reception work.



## **Industry-Leading Connectivity**

The Yealink T5 Business Phones have enriched advanced connectivity features for unparalleled flexibility and scalability.

- · Support seamless switching of calls between the desktop phone and the cordless DECT handset via DD10K DECT dongle integration
- · Built-in Bluetooth 4.2 for wireless headset and mobile phone connection to enhance the mobility
- $\cdot$  Built-in Wi-Fi 2.4G/5G to help businesses maximize the use of wireless network
- · Compatible with Expansion Module EXP50 for more line keys (except VP59)





Call Switchover (Desktop Phone and DECT Handset)



Bluetooth



#### All-in-One Solutions for Every Collaborative Environment



#### Prime Business Phone T53/T53W

- · Entry-level phone, well suited for common workspace
- · 3.7" 360x160-pixel graphical display, fully adjustable
- · 8 line keys, 12 SIP accounts, 21 memory keys
- · USB port integrated for call recording and wireless USB headset



#### Prime Business Phone T54W

- · Mid-level phone, ideal for professionals and managers with moderate call load
- · 4.3" 480x272-pixel color display, fully adjustable
- $\cdot$  10 line keys, 16 SIP accounts, 27 memory keys
- · USB port integrated for call recording and wireless headset



#### Prime Business Phone T57W

- · Premium-level phone for executives and busy managers with heavy call load
- · 7" 800x480-pixel color touch display, fully adjustable
- · 29 touch keys, 16 SIP accounts
- · USB port integrated for call recording and wireless headset



#### Smart Business Phone T58A with Camera

- · Android based smart phone, well suited for executives and busy managers with collaboration demands
- · 7" 1024x600-pixel color touch display, fully adjustable
- · Plug and play 720p HD video camera
- · 27 touch memory keys, 16 SIP accounts
- $\cdot \ \text{Call recording and wireless headset support} \\$

Note: T58A can be purchased without camera\*



#### Flagship Smart Video Phone VP59

- · Flagship smart video phone for C-levels and workgroups with video collaboration demands
- · 8" 1280x800-pixel color touch display, fully adjustable
- · 1080p HD business video
- · 27 touch memory keys, 16 SIP accounts
- · HDMI output
- · Call recording and wireless USB headset support

| Module                                 | VP59   | T58A with Camera                           |  |
|--|--|--|--|
| Overview                               | VP59   | 158A With Camera                           |  |
|  |  |  |  |
| Operating System                       | Android 7.1                                  | Android 5.1                                |  |
| Interface                              | <u> </u>                                     |  |  |
| LCD Display                            | 8" 1280 x 800 pixels capacitive touch screen | 7" 1024X600 pixels capacitive touch screen |  |
| LCD Type                               | Adjustable                                   | Adjustable                                 |  |
| LED Indicators                         | $\sqrt{}$                                    | √  |  |
| Memory Keys                            | 27 touch keys                                | 27 touch keys                              |  |
| USB Port (2.0 Compliant)               | 2  | 2  |  |
| Ethernet Port                          | Dual-port Gigabit Ethernet                   | Dual-port Gigabit Ethernet                 |  |
| Handset Port (RJ-9)                    | √  | $\checkmark$                               |  |
| Headset Port (RJ-9)                    | √  | $\checkmark$                               |  |
| Expansion Module                       | х  | Yealink EXP50                              |  |
| External Yealink AC Adapter (Optional) | AC 100~240V input and DC 12V/1A output       | AC 100~240V input and DC 5V/2A output      |  |
| Audio Features                         |  |  |  |
| HD Voice                               | HD handset, HD speaker                       | HD handset, HD speaker                     |  |
| Speakerphone                           | Full duplex                                  | Full duplex                                |  |
| Wideband Codec                         | G.722,Opus                                   | G.722,Opus                                 |  |
| Narrowband Codec                       | G.711(A/µ), G.729A/B, G.726, G.723.1, iLBC   | G.711(A/µ), G.729A/B, G.726, G.723.1, iLBC |  |
| HAC Handset                            | √  | √  |  |
| Yealink Noise Proof                    | √  | √  |  |
| Yealink Acoustic Shield                | $\sqrt{}$                                    | $\checkmark$                               |  |
| Connectivity                           |  |  |  |
| РоЕ                                    | $\checkmark$                                 | $\checkmark$                               |  |
| Bluetooth                              | Built-in                                     | Built-in                                   |  |
| Wi-Fi                                  | Built-in                                     | Built-in                                   |  |
| HDMI                                   | $\checkmark$                                 | Х  |  |
| Foot Stand                             | 1 adjustable angle                           | 1 adjustable angle                         |  |
| Wall Mountable                         | $\checkmark$                                 | $\checkmark$                               |  |
| Corded-Cordless Phone (Via DD10K)      | $\checkmark$                                 | $\checkmark$                               |  |
| Headset                                | USB/Bluetooth/RJ9                            | USB/Bluetooth/RJ9                          |  |
| Camera                                 | 2 mega-pixel (adjustable, plug and play)     | 2 mega-pixel (adjustable, plug and play)   |  |
| Video Resolution                       | 1080p@30fps Full-HD                          | 720p@30fps HD                              |  |
| Video Codec                            | H.263, H.264, H.264HP, VP8                   | H.264, H.264HP, VP8                        |  |
| Door Phone Integration                 | $\checkmark$                                 | √  |  |
| Content Sharing                        | V  | √  |  |
| Telephony Features                     |  |  |  |
| SIP Account                            | 16   | 16   |  |
| 3-Way Video Conferencing               | $\checkmark$                                 |  |  |

| Yealink T5 Prime Business Phone Specification |   |   |   |  |
|---|---|---|---|--|
| Module  | SIP-T53/SIP-T53W                              | SIP-T54W                                      | SIP-T57W                                      |  |
|   | t and<br>t and<br>and                         | # 200   |   |  |
| Operating System                              | Linux Based                                   | Linux Based                                   | Linux Based                                   |  |
| Interface                                     |   |   |   |  |
| LCD Display                                   | 3.7" 360x160 pixels graphical display         | 4.3" 480x272 pixels color display             | 7" 800x480 pixels color display               |  |
| LCD Type                                      | Adjustable                                    | Adjustable                                    | Adjustable                                    |  |
| LED Indicator                                 | V   | √   | √   |  |
| Line Key                                      | 8   | 10  | 0   |  |
| Memory Key                                    | 21 (3 pages, 7 keys per page)                 | 27 (3 pages, 9 keys per page)                 | 29 touch keys                                 |  |
| USB Port (2.0 Compliant)                      | 1   | 1   | 1   |  |
| Ethernet Port                                 | Dual-port Gigabit Ethernet                    | Dual-port Gigabit Ethernet                    | Dual-port Gigabit Ethernet                    |  |
| Handset Port (RJ-9)                           | √   | √   | √   |  |
| Headset Port (RJ-9)                           | √   | $\checkmark$                                  | $\checkmark$                                  |  |
| Expansion Module                              | Yealink EXP50                                 | Yealink EXP50                                 | Yealink EXP50                                 |  |
| External Yealink AC Adapter<br>(Optional)     | AC 100~240V input<br>and DC 5V/1.2A output    | AC 100~240V input and DC 5V/2A output         | AC 100~240V input and<br>DC 5V/2A output      |  |
| Audio Features                                |   |   |   |  |
| HD Voice                                      | HD handset, HD speaker                        | HD handset, HD speaker                        | HD handset, HD speaker                        |  |
| Speakerphone                                  | Full duplex                                   | Full duplex                                   | Full duplex                                   |  |
| Wideband Codec                                | G.722,Opus                                    | G.722,Opus                                    | G.722,Opus                                    |  |
| Narrowband Codec                              | G.711(A/µ), G.729A/B, G.726,<br>G.723.1, iLBC | G.711(A/μ), G.729A/B, G.726,<br>G.723.1, iLBC | G.711(A/μ), G.729A/B, G.726,<br>G.723.1, iLBC |  |
| HAC Handset                                   | √   | $\checkmark$                                  | √   |  |
| Yealink Acoustic Shield                       | √   | $\checkmark$                                  | $\checkmark$                                  |  |
| Connectivity                                  |   |   |   |  |
| PoE   | √   | $\sqrt{}$                                     | √   |  |
| Bluetooth                                     | Built-in Bluetooth 4.2/T53 via BT40           | Built-in Bluetooth 4.2                        | Built-in Bluetooth 4.2                        |  |
| Wi-Fi   | Built-in (2.4G and 5G)/T53 via WF40/WF50      | Built-in (2.4G and 5G)                        | Built-in (2.4G and 5G)                        |  |
| Foot Stand                                    | 1 adjustable angle                            | 1 adjustable angle                            | 1 adjustable angle                            |  |
| Wall Mountable                                | $\sqrt{}$                                     | $\sqrt{}$                                     | √   |  |
| Corded-Cordless Phone (Via DD10K)             | $\sqrt{}$                                     | $\sqrt{}$                                     | √   |  |
| Headset                                       | USB/Bluetooth/RJ9                             | USB/Bluetooth/RJ9                             | USB/Bluetooth/RJ9                             |  |
| Content Sharing                               | $\sqrt{}$                                     | $\sqrt{}$                                     |   |  |
| Telephony Features                            |   |   |   |  |
| SIP Account                                   | 12  | 16  | 16  |  |
| 3-Way Audio Conferencing                      | √   |   | √   |  |