

2.40 11 56 13

GWN7000

Enterprise Multi-WAN Gigabit VPN Router

The GWN7000 is a powerful enterprise-grade multi-WAN Gigabit VPN router. Ideal for the enterprise, small-to-medium business, retail, education, hospitality and medical markets, the GWN7000 supports comprehensive WiFi and VPN solutions that can be shared across one or many different physical locations. It features high-performance routing and switching power and a hardware-accelerated VPN client/server for secure inter-office connectivity. To maximize network reliability, the GWN7000 supports traffic load balancing and failover. The GWN7000 features an embedded controller and automated provisioning master that can setup and manage up to 300+ in-network GWN series WiFi Access Points. This can be easily operated through the product's intuitive web browser user interface, which also offers a central panel to monitor and control the entire network.



Rich peripheral support (printer, NAS, file server, etc.) through USB ports VPN

Hardware accelerated VPN including PPTP, L2TP/ IPSec and OpenVPN



Intuitive Web interface to centrally monitor/provision the entire network

3G/4G/LTE

3G/4G/LTE wireless uplink via USB dongle (((o))) ((o)) 300 access points

Embedded controller to manage 300+ GWN WiFi APs



1 million packets/ second routing & 10Gbps aggregate switching power



Rich firewall features including NAT, DMZ, Port Forwarding, SPI and UPnP

(⊠)


(in)

(f)


Intuitive Management Interface and Status Monitoring

	AP				Clients			AP Chann	el Distribution				
rts		5 Total	Discovered 1 Online 2 Offine 2		24 Tetal	2.4G	11	2.4G	1 2 3 4	5 6 7	8 9 1	0 11 12 13	14
								5G	85 40 44 48 52	55 60 64 100 104	4 108 112 116 1	120 124 128 132 136	140 149 153 157 161 165
roup 👻	Top Al	P Last 1 day 🔷 👻						Top SSID	Last 1 day 🔷 👻				
	No.	Name/MAC	Type	Clients	Usage +			No.	Name	Clients	Usage +		
ittings 👻	. A	00:08:82:A1:A5:20		23	37.15GB	\$30.18GB	♦6.97GB	1	gs_internal	24	37.30GB	\$30.36GB	♦ 6.94G8
	2	00:08:82:97:91:74		14	3.11GB	♦1.74GB	♦ 1.37GB	2	gs_Internal_vlan	3	2.96GB	◆1.56GB	♦1.40GB
								3	GS_Guest	1	634B	↓ 4118	↑ 2238
	Top Cl	ients Last 1 day	*					Traffic					
	No.	Name	MAC Address		Download •	Upload			WAN Port 1 RX:104.60MB(129398			WAN RX:0.00P	Port 2
	1		24:DA:98:76:6D	24:DA:98:76:6D:83		967.78M8		TX:5.12MB(43304pkts.)			TX:0.00MB(Opkts.)		
	2		80:E6:50:0F:05:	ю	8.7868	2.78GB			♦92.00 B/	5		♦ 0.0 ♦ 0.0	DKB/s
	3		C0:EE:FB:24:A9:	14	2.21GB	1.99GB		200	0.00 075		200	.0.0	
	4		E8:50:88:8D:D5	99	1.35GB	35.69M	в	100 -			100		

Easy Setup and Management of Your Wireless/VPN Solution



Powerful Site-to-Site VPN Tunnel Solution



Advanced Central Control

Intuitive Web-based central network management from any GWN7000 router.

Network Manageability

Embedded controller to manage 300+ WiFi APs from a central interface without requiring a separate controller hardware/ software.

Automated Provisioning

Auto discovery & provisioning of in-network WiFi AP devices from any GWN7000 or GWN76xx WiFi AP.

Connectivity Reliability

Multiple Gigabit WAN ports plus 3G/4G/LTE backup uplink options with load balancing and failover support to maximize network reliability and business continuity.

High Performance

1M packets/second routing & 10Gbps switching power. Advanced QoS support for ultralow-latency applications.

Strong Security

(⊠)

(in)

(f)

Supports nearly all popular VPN flavors (IPSec/L2TP/OpenVPN/ PPTP) to allow flexible VPN networks linking multi-sites, branch offices & home offices.

Specifications

Network Interfaces	2 x autosensing 10/100/1000 WAN Ports 1 x autosensing 10/100/1000 configurable as LAN, WAN or VoIP port 4 x autosensing 10/100/1000 LAN Ports
WAN	-DHCP -Static IP -PPPoE -Load balance & failover -Rule based routing
LAN	-DHCP server -DNS Cache -Multiple zones -VLAN
	Up to 1 million packets/second with 64-byte packet size
	-3G/4G/LTE as WAN -Printer sharing -File sharing
	2x USB 3.0 ports, 1x Reset Pinhole
	Indoor wall mount, Desktop
	8 green-color LEDs for device tracking and status indication
	IPv4, IPv6, 802.1Q, 802.1p
	VLAN, TOS, supports multiple traffic classes, filter by port, IP address, DSCP, and policing
Firewall	NAT, DMZ, Port Forwarding, SPI, UPnP
VPN	-Protocols: PPTP, L2TP/IPSec, OpenVPN -Client, Server or pass through
Auto Provisioning Capability	Embedded provisioning controller to manage up to 300+ GWN series WiFi APs
Management	Web, CLI
Power	802.3at PoE Included Power Supply: 12V/2A Max power consumption: 16W
Environmental	Operation: 0°C to 50°C Storage: -10°C to 60°C Humidity: 10% to 90% Non-condensing
Physical	Unit Dimensions: 200 x 136 x 37mm; Unit Weight: 570g Entire Package Dimensions: 324 x 163.5 x 54mm; Entire Package Weight: 930g
Package Content	GWN7000 Enterprise Router 12V/2A Power Adapter Quick Installation Guide GPL Guide
Compliance	FCC, CE, RCM, IC

